

Bled'11 - 7th Slovenian International Conference on Graph Theory

Contribution ID : 76



Eigenvector approach to spectral radius minimization

Content :

The decrease of the spectral radius, an important characterizer of network dynamics, by removing links is investigated. The minimization of the spectral radius by removing m links is shown to be an NP-complete problem, which suggests to consider heuristic strategies. Several greedy strategies are compared and several bounds on the decrease of the spectral radius are derived. The strategy that removes that link $l=ij$ with largest product $x_i x_j$ of the components of the eigenvector x belonging to the largest adjacency eigenvalue is shown to be superior to other strategies in most cases. Furthermore, a scaling law where the decrease in spectral radius is inversely proportional to the number of nodes N in the graph is deduced. Another sublinear scaling law of the decrease in spectral radius versus the number m of removed links is conjectured.

Primary authors : Prof. VAN MIEGHEM, Piet (Delft University of Technology) ; Prof. STEVANOVIC, Dragan (University of Nis and University of Primorska)

Co-authors : KUIPERS, Fernando (Delft University of Technology) ; LI, Cong (Delft University of Technology) ; VAN DE BOVENKAMP, Ruud (Delft University of Technology) ; LIU, Daijie (Delft University of Technology) ; WANG, Huijuan (Delft University of Technology)

Presenter : Prof. STEVANOVIC, Dragan (University of Nis and University of Primorska)

Session classification : --not yet classified--

Track classification : Graph Spectra and its Applications

Type : Oral presentation